


Appendix 6:

<u>Pebble Count Walman Technique</u>	Wentworth size classification	Frequency	Percentage
Location C			
	2	2	4
	4	0	0
	8	1	2
	16	1	2
	32	1	2
	64	2	4
	128	4	8
	256	14	28
	512	13	26
	1024	12	24
Location D	2	1	2
	4	0	0
	8	0	0
	16	0	0
	32	0	0
	64	1	2
	128	6	12
	256	19	38
	512	15	30
	1024	8	16
Location E	2	0	0
	4	0	0
	8	0	0
	16	0	0
	32	1	2
	64	0	0
	128	3	6
	256	10	20
	512	20	40
	1024	16	32
Location H	2	1	2
	4	1	2
	8	1	2
	16	2	4
	32	2	4
	64	4	8
	128	7	14
	256	16	32
	512	12	24
	1024	4	8
Location B	2	2	4
	4	1	2
	8	1	2
	16	1	2
	32	1	2
	64	2	4

	128	5	10
	256	17	34
	512	12	24
	1024	8	16
Location A	2	2	4
	4	1	2
	8	3	6
	16	4	8
	32	7	14
	64	8	16
	128	9	18
	256	7	14
	512	4	8
	1024	0	0
Location G	2	0	0
	4	0	0
	8	0	0
	16	1	2
	32	1	2
	64	3	6
	128	25	50
	256	11	22
	512	6	12
	1024	3	6
Location I	2	1	2
	4	0	0
	8	0	0
	16	0	0
	32	0	0
	64	4	8
	128	23	46
	256	17	34
	512	3	6
	1024	2	4

Pebble Count Data Locations.



North



Scale

